

Central Regional TAFE

STAFF WIFI

Wheatbelt

ACCESS/CONFIGURATION GUIDE

Windows Device

(eg. Surface tablet, Nokia phone)


iPAD, IPAD mini / iPhone

Android


(eg. Samsung tablet, Google device)

Windows Device


1. Open the Wi-Fi connections 
2. Click on "CRT-BYOD-ADM" then "Connect"



3. Enter your user name (eg. 8000xxx) + password and click on OK




4. Click “Connect” to any warnings



5. CONNECTION COMPLETE. Steps 1 to 4 will be remembered by your device (don't have to configure again).

6. If no web sites are loading check to ensure “Automatically detect settings” is enabled in your web browser (Tools/Internet Options/Connections/LAN Settings)



iPAD(mini)/iPhone

1. Open the Wi-Fi settings (Settings/Wi-Fi)
2. Click the arrow next to CRT-BYOD-ADM




3. In the HTTP Proxy section at the bottom click on AUTO and enter <http://10.162.40.4:8080/wpad.dat> into the URL




4. Click the Wi-Fi button  to return to the Wi-Fi screen.
Click on CRT-BYOD-ADM from the network list



5. Enter your Windows username + password when prompted then click on Join




6. Click “Accept” on any certificate windows




7. CONNECTION COMPLETE. Steps 1 to 6 will be remembered by your device (don't have to configure again.)


Android 4.x

1. Turn on the Wi-Fi (under settings)



2. Click and hold on CRT-BYOD-ADM until a menu pops up.
Click on "Modify network config"






3. Enter your login name + password in the Identity and Password fields respectively.

Click on "Show advanced options"

Enter the proxy settings.

Save the settings

4. Click on the CRT-BYOD-ADM then Connect



5. CONNECTION COMPLETE. Steps 1 to 4 will be remembered by your device (don't have to configure again).